



Fiche technique Data Sheet

CHEMIK // USF89504



Catégories / Categories: [Agriculture](#), [Construction](#), [Distribution](#), [Warehousing & Manufacturing](#), [Concrete & Cement Industry](#), [Mining](#), [Oil & Gas](#), [Emergency Services](#), [Specialty](#), [Lightweight Work](#), [Mens](#), [Safety Boots 8-Inches](#)

Description

Boot color Black 3E 8 "

Comfort and protection at the ankle with the Unik Ankle Lock system

Techno Fibre Caustic resistant

400Gr Ultra thinsulate insulation / U-Line lining.

Toe Cap and sole of Composite.

Vibram Dri Ice EVA lightweight outsole Rubber Fire & Ice

Fusion process

Vibram rubber bumper toe

Canadian manufacturing.

Certified: CSA standard Z-195-14



Attributs / Attributes

- Style: Puritain
- Size:
- Width: 3E
- Height:
- Weight:
- Color: Black
- Upper and Quarter: Techno Fiber Caustic resistant, Techno Fibre OnMicro qui respire et resiste au Caustique
- Sewing:
- Lining and Insulation: U-Line, 400Gr Thinsulate Ultra
- Bumper Toe:
- Insole:
- Supportek System: Supportek System (Poron, Texon , Lenzi ,Cambrion ,Techno Board)
- Toe Cap and insole protection:
- Outsole:

- Fabrication:
- Quality:
- Certification:

Photos / Gallery



